

CHAPTER 14

References

- Airola, D. A., and R. H. Barrett. 1985. Foraging and habitat relationships of insect-gleaning birds in a Sierra Nevada mixed-conifer forest. *The Condor* 87 (2): 205-216.
- Al-Chokhachy, R., M. Peacock, L.G. Heki, and G. Thiede. 2009. Evaluating the reintroduction potential of lahontan cutthroat trout in Fallen Leaf Lake, California. *North American Journal of Fisheries Management* 29: 1296-1313.
- Allen, B., and J. Reuter. 1996. Shorezone spawning in Lake Tahoe: the effects of shorezone structures and associated activities on the spawning success of native minnows. Report to the Tahoe Regional Planning Agency.
- Allen, B.C., S. Chandra, J. Vander Zanden, J.E. Reuter, and Z. Hogan. 2003. An evaluation of the re-introduction of native Lahontan Cutthroat Trout, *Oncorhynchus clarkii henshawi*, in Fallen Leaf Lake, California. 2003. US Fish and Wildlife, Progress Report, NV. 1-21.
- Allen-Diaz, B.H. 1991. Water table and plant species relationships in Sierra Nevada meadows. *American Midland Naturalist* 126: 30-43.
- Alta Planning and Design and LSC Transportation Consultants. 2009. Environmental, Economic and Public Health Impacts of Shared Use Paths in Lake Tahoe. Report to TRPA. Retrieved from http://www.tahoempo.org/documents/Impacts_Memorandum_110107.pdf
- Baad, M. 1979. Rare Plant Status Report of *Draba asterophora* var. *asterophora*. Unpublished report. On file at the Eldorado National Forest Supervisors Office, Placerville, California.
- Badano, E. I., C.G. Jones, L.A. Cavieres, and J.P. Wright. 2006. Assessing impacts of ecosystem engineers on community organization: a general approach illustrated by effects of a high-Andean cushion plant. *Oikos* 115: 369-385.
- Bailey, R.G. 1974. Land-capability classification of the Lake Tahoe Basin, California-Nevada: A Guide for Planning. USDA Forest Service.
- Batt, B., A.D. Afton, M.G. Anderson, C.D. Ankney, D.H. Johnson, J.A. Kadlec, and G.L. Krapu. Editors. 1992. Ecology and management of breeding waterfowl. University of Minnesota Press: Minneapolis, MN. 635 pp.

- Beardsley, D., C. Bolsinger, and R. Warbington. 1999. Old-growth forests in the Sierra Nevada: by type in 1945 and 1993 and ownership in 1993. Res. Pap. PNWRP-516. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 46 pp.
- Beaty, R.M., and A.H. Taylor. 2008. Fire history and the structure and dynamics of a mixed conifer forest landscape in the northern Sierra Nevada, Lake Tahoe Basin, California, USA. *Forest Ecology and Management* 255: 707–719.
- Beauchamp, D.A., E.A. Byron, and W.A. Wurtsbaugh. 1994a. Summer habitat use by littoral-zone fishes in Lake Tahoe and the effects of shoreline structures. *North American Journal of Fisheries Management* 14: 385-394.
- Beauchamp, D.A., P.E. Budy, B.C. Allen, and J.M. Godfrey. 1994b. Timing, distribution, and abundance of kokanee spawning in a Lake Tahoe tributary. *The Great Basin Naturalist* 54(2): 130-141.
- Bittman, R. 1985. Grass Lake, California, evaluation for designation as a national natural landmark. Unpublished report for the National Park Service. 17 pp.
- Boeker, E.L., and T.D. Ray. 1971. Golden eagle population studies in the southwest. *Condor* 73: 463-467.
- Booth, D. 1990. Stream-channel incision following drainage-basin urbanization. *Water Resources Bulletin* 26(3).
- Boyce, D.A., and M.W. White. 1980. Peregrine falcon nesting habitat survey on U.S. Forest Service lands along the west slope of the Sierra Nevada Mountains. Unpublished report. U.S. Forest Service, Lake Tahoe Basin Management Unit: South Lake Tahoe, CA.
- Brown, B.T., and L.E. Stevens. 1997. Winter bald eagle distribution is inversely correlated with human activity along the Colorado River, Arizona. *Journal of Raptor Research* 31(1): 7-10.
- Buehler, D.A., T.J. Mersmann, J.D. Fraser, and J.K.D. Seegar. 1991. Effects of human activity on bald eagle distribution on the northern Chesapeake Bay. *The Journal of Wildlife Management* 55(2): 282-290.
- Cade, T.J., J.H. Enderson, and J. Linthicum. 1996. Guide to management of peregrine falcons at the eyrie. *The Peregrine Fund*: Boise, Idaho. 96 pp.
- CARB California Air Resources Board. 2003. Fact sheet: California low sulfur diesel fuel. Retrieved December 12, 2011 from <http://www.arb.ca.gov/fuels/diesel/lstdffactsheet.pdf>
- _____. 2004. Evaluation of ozone and HNO₃ vapor distribution and ozone effects on conifer forests in the Lake Tahoe Basin and Eastern Sierra Nevada. Retrieved April 26, 2011 from: <http://arbis.arb.ca.gov/research/apr/past/01-334.pdf>
- _____. 2006. Lake Tahoe atmospheric deposition study. Retrieved April 26, 2011 from <http://www.arb.ca.gov/research/ltads/ltads-report.htm>
- _____. 2011a. iADAM: Air Quality Data Statistics. Retrieved April 26, 2011 from <http://www.arb.ca.gov/adam>

- _____. 2011b. California's accomplishments in reducing diesel particulate matter emissions. Retrieved December 13, 2011 from <http://www.arb.ca.gov/diesel/factsheets/dieselpmfs.pdf>
- CALFIRE California Department of Forestry and Fire Protection. 2011. Incident Database. Retrieved December 12, 2011 from http://cdfdata.fire.ca.gov/incidents/incidents_current
- California Department of Transportation, California Aviation Planning. 2007. Aircraft noise. Retrieved October 15, 2011 from <http://www.dot.ca.gov/hq/planning/aeronaut/landcomp4.html>
- CHP California Highway Patrol. 2006. CHP Information Bulletin No. 98-100. *In* Excessive Noise Enforcement Passenger Vehicles, Light Trucks and Motorcycles. Retrieved October 20, 2011 from <http://www.enjoythedrive.com/content/?ID=8133>
- CNPS California Native Plant Society. 2010. Inventory of Rare and Endangered Plants (online edition, v8-01a).
_____. 2011. Sacramento, CA. Retrieved October 10, 2011.
- CWHR California Wildlife Habitat Relationship System. 2011. Database. Retrieved December 20, 2011 from http://www.dfg.ca.gov/biogeodata/cwhr/wildlife_habitats.asp
- Chen, L. A., J. G. Watson, and X. Wang. 2011. Visibility monitoring and standards for Lake Tahoe Basin: assessment of current and alternative approaches. Final report submitted by Desert Research Institute to USDA Forest Service-Pacific Southwest Research Station.
- Chimner, R.A., and D.J. Cooper. 2002. Modeling carbon accumulation in Rocky Mountain fens. *Wetlands* 22: 100-110.
- CSLT City of South Lake Tahoe, Lake Tahoe Airport. 2008-2010. Lake Tahoe Airport Quarterly Noise Reports. South Lake Tahoe, CA.
- Cliff, S. S., and T. A. Cahill. 2000. Air quality. *In* Murphy, D. D. and C.M. Knopp., editors. Lake Tahoe watershed assessment, Volume I. Gen. Tech. Rep. PSW-GTR-175. Albany, CA: Pacific Southwest Research Station. Forest Service, U.S. Dept. of Agriculture. pp. 131-211.
- Coats, R.N., and C. Goldman. 2001. Patterns of nitrogen transport in streams of the Lake Tahoe Basin, California-Nevada. *Water Resources Research* 37(2): 405-415.
- Coats, R.N., M. Larsen, A. Heyvaert, J. Thomas, M. Luck, and J. Reuter. 2008. Nutrient and sediment production, watershed characteristics, and land use in the Tahoe Basin, California-Nevada. *Journal of the American Water Resources Association* 44(3): 754-770.
- Cobourn, J. B. 2006. How riparian ecosystems are protected at Lake Tahoe. *Journal of the American Water Resources Association* 42: 35-43.
- Cobourn, J., B. Carlos, J. Christopherson, W. Johnson, R. Post, J. Skelly, and E. Smith. 2002. Home Landscaping Guide for Lake Tahoe and Vicinity. Reno, NV: University of Nevada, Reno Cooperative Extension.

- Code of Federal Regulations (CFR). 1981. 36 CFR 261.4 . Disorderly conduct. *In* Code of Federal Regulations (Title 36: Parks, Forests, and Public Property, Chapter II: Forest Service, Department of Agriculture, Part 261: Prohibitions). Retrieved October 18, 2011 from <http://cfr.vlex.com/vid/261-4-disorderly-conduct-19770705>
- Collins, B. M., R. G. Everett, and S. L. Stephens. 2011. Impacts of fire exclusion and recent managed fire on forest structure in old growth Sierra Nevada mixed-conifer forests. *Ecosphere* 2(4): 1-14.
- Conley, D. J., H. W. Paerl, R.W. Howarth, S.P.S.D.F. Boesch, K. E. Havens, C. Lancelot, and G.E. Likens. 2009. Controlling Eutrophication: Nitrogen and Phosphorus. *Science* 323: 1014-1015.
- Cooper, D.J. 1990. Ecology of wetlands in Big Meadows, Rocky Mountain National Park, Colorado. U.S. Fish and Wildlife Service, Biological Report 90 (15).
- Cooper, D. J., and E. C. Wolf. 2006. Fens of the Sierra Nevada, California. Department of Forest, Rangeland and Watershed Stewardship, Colorado State University, Fort Collins, CO. Unpublished report, 47 pp.
- Cooper, D.J., L.H. McDonald, S.K. Wenger, and S. W. Woods. 1998. Hydrologic restoration of a fen in Rocky Mountain National Park, Colorado, USA. *Wetlands* 18(3): 335-345.
- Coppeto S. A., D. A. Kelt, D.H. Van Vuren, J. A. Wilson, and S. Bigelow. 2006. Habitat associations of small mammals at two spatial scales in the northern Sierra Nevada. *Journal of Mammalogy* 87 (2): 402-413.
- Davis, D.D., and H.D. Gerhold. 1976. Selection of trees for tolerance of air pollutants. In *Better Trees for Metropolitan Landscapes* (F.S. Santamour, H.D. Gerhold, and S. Little, eds.), pp. 61-66. U.S. Forest Service, General Tech. Rept. NE-22.
- DFG California Department of Fish and Game. 2006. Wildlife Habitat Relationships System, Species Profile for Mule Deer: <http://nrm.dfg.ca.gov/FileHandler.ashx?DocumentID=2637&inline=1>
 _____. 2007. California Natural Diversity Database. [accessed October 2007]. California Department of Fish and Game, Biogeographic Information Branch: Sacramento, CA.
- DRI Desert Research Institute. 2011a. Visibility monitoring and standards for the Lake Tahoe Basin: assessment of current and alternative approaches. Prepared for USDA Forest Service.
 _____. 2011b. Lake Tahoe Visibility Impairment Source Apportionment Analysis. Draft report prepared for USDA Forest Service.
- Doyle, F.I., and J.M.N. Smith. 1994. Population responses of northern goshawks to the 10-year cycle in numbers of snowshoe hares. *Studies in Avian Biology* 16: 122-129.
- Elliott-Fisk, D.L., T.C. Cahill, O.K. Davis, L. Duan, C.R. Goldman, G.E. Gruell, R. Harris, R. Kattelman, R. Lacey, D. Leisz, S. Lindstrom, D. Machida, R.A. Rowntree, P. Rucks, D.A. Sharkey, S.L. Stephens, and D.S. Ziegler. 1996. Lake Tahoe case study. Addendum to: Sierra Nevada ecosystem project, final report to congress. University of California Davis, Centers for Water and Wildland Resources: Davis, CA.

- Engelhardt, B.M., and S.E. Gross. 2011a. Lake Tahoe Basin Management Unit Sensitive Plant Species and Habitat 2010 Monitoring Report. USDA Forest Service, Lake Tahoe Basin Management Unit. Unpublished report.
- _____. 2011b. Draft Long-term Monitoring Plan: *Draba asterophora* var. *asterophora* and *Draba asterophora* var. *macrocarpa*. USDA Forest Service, Lake Tahoe Basin Management Unit. Unpublished report.
- _____. 2011c. Long-term Monitoring Plan for *Lewisia longipetala*. USDA Forest Service, Lake Tahoe Basin Management Unit. Unpublished report.
- _____. 2011d. Long-term monitoring plan: *Meesia triquetra* & *Sphagnum* spp. cover at Grass Lake Research Natural Area and Hell Hole. Lake Tahoe Basin Management Unit, USDA Forest Service, South Lake Tahoe, CA.
- Engineering Dynamics. 1991. Noise Monitoring Survey Lake Tahoe Region. Final Report. September, 1991. Prepared for the Tahoe Regional Planning Agency. Englewood, CO.
- Environmental Incentives. 2011. Coverage study interim findings briefing memo for California Tahoe Conservancy and Tahoe Regional Planning Agency.
- EPA United States Environmental Protection Agency. 2000. Role of hydrogeomorphic processes on alpine ecosystem health. Final report available at http://cfpub.epa.gov/ncer_abstracts/index.cfm/fuseaction/display.abstractDetail/abstract/6006/report/F
- _____. 2011a. AirData website. Retrieved April 26, 2011 from <http://www.epa.gov/aqspub1>
- _____. 2011b. EPA methods for air quality monitoring: <http://www.epa.gov/ttn/amtic/files/ambient/criteria/reference-equivalent-methods-list.pdf>
- _____. 2011c. Health and environmental impacts of NOx. Retrieved November 1, 2011 from <http://www.epa.gov/air/nitrogenoxides>
- _____. 2011d. Heavy duty highway diesel program. Retrieved December 13, 2011 from <http://www.epa.gov/otaq/highway-diesel/index.htm>
- _____. 2011e. How nitrogen oxides affect the way we live and breathe. Retrieved April 26, 2011 from <http://web.archive.org/web/20080716063437/http://www.epa.gov/air/urbanair/nox/noxfldr.pdf>
- _____. 2011f. National clean diesel campaign. Clean Diesel Funding. Retrieved December 13, 2011 from <http://www.epa.gov/cleandiesel/basicinfo.htm>
- Ewins, P.J. 1997. Osprey (*Pandion haliaetus*) populations in forested areas of North America: changes, their causes and management recommendations. *Journal of Raptor Research* 31(2): 138-150.
- FAA United States Department of Transportation, Federal Aviation Administration. 2004. Advisory Circular. *In* Visual Flight Rules (VFR) Flight Near Noise-Sensitive Areas. Retrieved October 19, 2011 from <http://www.fs.fed.us/r10/tongass/PackCreek-OG/AC91-36d.pdf>
- FGDC Federal Geographic Data Committee. 1997. Vegetation Classification Standard: FGDC-STD-005. Vegetation Subcommittee, Federal Geographic Data Committee. U.S. Geological Survey, Reston, Virginia.
- Ferreira, J.E. 1987. The population status and phenological characteristics of *Rorippa subumbellata* Roll. at Lake Tahoe, California and Nevada, M.A. Thesis. California State University, Sacramento. Sacramento, CA.

- Fore, L. 2007. Development and testing of biomonitoring tools for stream macroinvertebrates in the Lake Tahoe basin. Report prepared for: USDA-Forest Service-Lake Tahoe Basin Management Unit.
- Gende, S.M., M.F. Wilson, and M. Jacobsen. 1997. Reproductive success of bald eagles (*Haliaeetus leucocephalus*) and its association with habitat or landscape features and weather in southeast Alaska. *Canadian Journal of Zoology* 75(10): 1595-1604.
- Gertler, A., H. Kuhns, C. Damm, M. Abu-Allaban, J. Gillies, R. Clayton, and D. Proffitt. 2006. The impact of winter road sand/salt and street sweeping on road dust re-entrainment. *In Atmospheric Environment* 40: 5976-5985.
- Gertler A., E. Weinroth, L. Menachem, and J. Karacin. 2008. *Development of an Air Pollutant Emissions Inventory for the Tahoe Basin that Incorporates Current and Future Land Use Scenarios*. Report to EPA.
- GLORIA Global Observation Research Initiatives in Alpine Environments: website accessed on October 26, 2011 <http://www.gloria.ac.at/?a=2>
- Goldman, C.R. 1974. Eutrophication of Lake Tahoe emphasizing water quality. EPA-660/3-74-034. U.S. GPO, Washington, D.C. 408 pp.
- Goldman, C., G. Schladow, J. Reuter, T. Hammel, and A. Liston. 2009. Lake Tahoe Interagency Monitoring Program: Quality Assurance Manual. Tahoe Environmental Research Center, Univ. California, Davis, 48 pp.
- Graber, D. 1996. Status of terrestrial vertebrates. 709 – 734 in: Sierra Nevada ecosystem project, final report to congress, vol. II, assessments and scientific basis for management options. University of California Davis, Centers for Water and Wildland Resources: Davis, CA.
- Green, CT. 1991. Integrated Studies of Hydrogeology and Ecology of Pope Marsh, Lake Tahoe. MS Thesis, Amherst College.
- Green, M., A. Chen, D. DuBois, and J. Molenaar. 2011. Draft report: Lake Tahoe visibility impairment source apportionment analysis prepared for the USDA Forest Service. Submitted to Pacific Southwest Research Station http://www.fs.fed.us/psw/partnerships/tahoescience/documents/ScienceUpdateReport2011_09_30
- Greenlinks Workshop. 2011. Commercial truck idling: Federal & state laws create air emissions and energy efficiency challenges and opportunities. State and local regulations. Retrieved December 13, 2011 from <http://www.greenlinksworkshop.com/blog.jsp?id=2620>
- Gunter, M. 2005. Characterization of nutrient and suspended sediment concentrations in stormwater runoff in the Lake Tahoe basin. M.S. thesis. Reno, NV: University of Nevada, Reno. 296 pp.

- Halford, A. S. 1992. Interim Management Guide for *Lewisia longipetala* Tahoe and Eldorado National Forests and the Lake Tahoe Basin Management Unit. USDA Forest Service, Tahoe National Forest, Nevada City, California.
- Halford, A. S., and R. S. Nowak. 1996. Distribution and ecological characteristics of *Lewisia longipetala* (Piper) Clay, a high-altitude endemic plant. *Great Basin Naturalist* 56(3): 225-236.
- Hawkins, Charles P., Richard H. Norris, James N. Hogue, and Jack W. Feminella. 2000. Development and Evaluation of Predictive Models for Measuring the Biological Integrity of Streams. *Ecological Applications* 10:1456–1477.
- Heki, L. 2009. Round 12 Capital Project Nomination Form: Lake Tahoe Federal Share EIP Capital Projects Appendix K. U.S. Fish and Wildlife Service, CA 1-14. Retrieved on September 22, 2011 from http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5117545.pdf
- Herold, M., J. Metz, and J. S. Romsos. 2007. Inferring littoral substrates, fish habitats, and fish dynamics of Lake Tahoe using IKONOS data. *Canadian Journal of Remote Sensing* 33(5): 445-456.
- Hickman, J.C. (Ed.). 1993. *The Jepson Manual, Higher Plants of California*. First Edition
- Hymanson, Z.P. 2009. Overview. In: Hymanson, Z.P. and Collopy M.W. eds. An integrated science plan for the Lake Tahoe basin: conceptual framework and research strategies. Gen Tech. Rep. PSW-GTR-226. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station: 1-17. Chapter 1.
- Hymanson, Z.P., and M.W. Collopy, eds. 2010. An intergrated science plan for the Lake Tahoe basin: conceptual framework and research strategies. Gen. Tech. Rep. PSW-GTR-226. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station. 368 pp.
- IMPROVE Interagency Monitoring of Protected Visual Environments, via Colorado State University. 2011. Visibility information exchange web system for data. Retrieved April 26, 2011 from <http://views.cira.colostate.edu/web>
- Jackman, R.E., W.G. Hunt., and N.L. Hutchins. 2007. Bald eagle foraging and reservoir management in northern California. *Journal of Raptor Research* 41(3): 202-211.
- Jassby, A.D., C.R. Goldman, J.E. Reuter, and R.C. Richards. 1999. Origins and scale dependence of temporal variability in the transparency of Lake Tahoe, California-Nevada. *Limnology and Oceanography* 44(2): 282-294.
- JEPSON Jepson Manual Second Edition Online version. Retrieved October 27, 2011 from http://ucjeps.berkeley.edu/tjm2/review/treatments/brassicaceae_all.html#68135
- Kamerath, M., S. Chandra, and B.C. Allen. 2008. Distribution and impacts of warm water invasive fish in Lake Tahoe, USA. *Aquatic Invasions* 3(1): 35-41.
- Karr, J.R., and E.W. Chu. 1999. *Restoring life in running waters: better biological monitoring*. Island Press, Washington D.C.

- Kattelman, R., and M. Embury. 1996. Riparian areas and wetlands. pp. 201 – 267 in: Sierra Nevada ecosystem project: final report to congress, vol. III, assessments and scientific basis for management options. University of California Davis, Centers for Water and Wildland Resources: Davis, CA.
- Kauneckis, D., and D. Halsing. 2010. Intergrating the social sciences in research planning. In: Hymanson, Z.P., and M.W. Collopy eds. An integrated science plan for the Lake Tahoe Basin: conceptual framework and research strategies. Gen. Tech. Rep. PSW-GTR-226. Albany CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station. 303-367. Chapter 7.
- Keane, J.J., M.L. Morrison, and D.M. Fry. 2006. Prey and weather factors associated with temporal variation in northern goshawk reproduction in the Sierra Nevada, California. *Studies in Avian Biology* 31: 85-99.
- Knapp, C.M. 1979. *Rorippa subumbellata* (Rollins): Status on Historical and Potentially New Sites. USDA, Forest Service, Lake Tahoe Basin Management Unit. South Lake Tahoe, CA.
- Kochert, M.N., and K. Steenhof. 2002. Golden eagles in the U.S. and Canada: status, trends, and conservation challenges. *Journal of Raptor Research* 36(1): 32-40.
- Kondolf, G. M., J. W. Webb, M. J. Sale, and T. Felando. 1987. Basic hydrologic studies for assessing impacts of flow diversions on riparian vegetation: examples from streams of the eastern Sierra Nevada, California. *Environmental Management* 11: 757-769.
- Kondolf, G.M., R. Kattelman, M. Embury, and D.C. Erman. 1996. Status of riparian habitat. pp.1009 – 1030 in: Sierra Nevada ecosystem project, final report to congress, vol. II, assessments and scientific basis for management options. University of California Davis, Centers for Water and Wildland Resources: Davis, CA.
- Korschgen, C.E., and R.B. Dahlgren. 1992. Human disturbances of waterfowl: causes, effects, and management. *Fish and Wildlife Leaflet* 13.2.15. U.S. Fish and Wildlife Service: Washington DC. 8 pp. http://www.nwrc.usgs.gov/wdb/pub/wmh/13_2_15.pdf
- Knight, R.L., and K.J. Gutzwiller. Editors. 1995. *Wildlife and recreationists: coexistence through management and research*. Island Press: Washington DC. 372 pp.
- Kuhns, H., M. C. Oliver, J. C. Chang, J. C. Chow, V. Etyemezian, L. A. Chen, N. Nussbaum, S. K. K. Nathagoundenpalayam, D. Trimble, S. Kohl, M. MacLaren, M. Abu-Aliban, J. Gillies, and A. Gertler. 2004. DRI Lake Tahoe source characterization study: final report. Prepared California Air resources Board (<http://www.arb.ca.gov/research/apr/past/01-734.pdf>) retrieved December 1, 2011.
- Lahontan. California Regional Water Quality Control Board. 1995. *Water Quality Control Plan for the Lahontan Region, North and South Basins, State of California, California Regional Water Quality Control Board, Lahontan Region, Chapter 5.1 – Water Quality Standards*.
- Lahontan Regional Water Quality Control Board [LRWQCB] and Nevada Division of Environmental Protection [NDEP]. 2008a. *Integrated Water Quality Management Strategy Project Report*.

- Carson City, NV. Lahontan Water Board, South Lake Tahoe, California and Nevada Division of Environmental Protection, v1.0. 103 pp. plus appendices
- _____. 2008b. Lake Tahoe TMDL pollutant reduction opportunity report. Carson City, NV. Lahontan Water Board, South Lake Tahoe, California and Nevada Division of Environmental Protection. v2.0. 279 pp.
- _____. 2008c. Lake Tahoe Total Maximum Daily Load technical report. Lahontan Water Board, South Lake Tahoe, California, and Nevada Division of Environmental Protection, Carson City, NV. 340 pp.
- _____. 2010. Final Lake Tahoe Total Maximum Daily Load Report. Lahontan Regional Water Quality Control Board and Nevada Division of Environmental Protection. Retrieved from http://www.waterboards.ca.gov/lahontan/water_issues/programs/tmdl/lake_tahoe/docs/tmdl_rpt_nov2010.pdf
- Lanpheer, R.A. 2000. Pleasure Motorboat Model Noise Act. Executive Summary pp. 2-5.
- Laves, K.S., and J.S. Romsos. 2000. Wintering bald eagle (*Haliaeetus leucocephalus*) and human recreational use of the south shore of Lake Tahoe. U.S. Forest Service, Lake Tahoe Basin Management Unit: South Lake Tahoe, CA. 30 pp.
- Lico, S.M. 2004. Nutrient Concentrations in Upper and Lower Echo, Fallen Leaf, Spooner, and Marlette Lakes and Associated Outlet Streams, California and Nevada, 2002-03. U.S. Geological Service, prepared in coordination with the Tahoe Regional Planning Agency. Carson City, NV.
- Liddle, M. 1997. Recreation ecology. Chapman and Hall: London, UK. 639 pp.
- Lindstrom, S., P. Rucks, and P. Wigand. 2000. A contextual overview of human land use and environmental conditions. pp. 23 - 127 *in*: Murphy, D.D., and C.M. Knopp. Editors. 2000. Lake Tahoe watershed assessment: volume I. Gen. Tech. Rep. PSW-GTR-175. U.S. Forest Service, Pacific Southwest Research Station: Albany, CA.
- Linthicum, J. 2006. Unpublished data. Collected for U.S. Fish and Wildlife Service by The Bird Group: Santa Cruz, CA.
- Linthicum, J., R.E. Jackman, B.C. Latta, J. Koshear, and M. Smith. 2007. Annual migrations of bald eagles to and from California. *Journal of Raptor Research* 41(2): 106-112.
- Loftis, W.R. United States Department of Agriculture, Natural Resources Conservation Service (USDA-NRCS). 2007. Report to Tahoe Regional Planning Agency on revision of Tables 1, 2, 4, 5 and Appendix *in* Land-capability classification of the Lake Tahoe Basin, California-Nevada, a guide for planning.
- Malcolm, B., and N. Malcolm. 1988. New Zealand's Alpine Plants Inside and Out. Wellington, NZ: Kel Aiken Printing Company. pp. 61-68.
- Manley, P. N., D. D. Murphy, S. Bigelow, S. Chandra, and L. Crampton. 2009. Chapter 6. Ecology and Biodiversity, in Hymanson, Z. P. and M. W. Collopy, eds. An Integrated Science Plan for the Lake Tahoe Basin: Conceptual Framework and Research Strategies. Gen. Tech. Rep. PSW-GTR-226. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station: 237-301.

- Manley, P.N., J.A. Fites-Kaufman, M.G. Barbour, M.D. Schlesinger, and D.M. Rizzo. 2000. Chapter 5: Biological integrity. In: Murphy, D.D.; Knopp, C.M., eds. Lake Tahoe basin watershed assessment: Vol. I. Gen. Tech. Rep. PSW-GTR-175. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station: 403–600.
- Manley, P N., and M.D. Schlesinger. 2001. Riparian biological diversity in the Lake Tahoe basin. Final report for the California Tahoe Conservancy and the US Forest Service."Aspen Bibliography. Paper 859. Retrieved from http://digitalcommons.usu.edu/aspen_bib/859
- Martin, D., and J. Chambers. 2004. Restoration of riparian meadows degraded by livestock grazing above-and below-ground responses. *Plant Ecology* 163: 77–91.
- Martell, M.S., C.J. Henny, P.E. Nye, and M.J. Solensky. 2001. Fall migration routes, timing, and wintering sites of north american ospreys as determined by satellite telemetry. *The Condor* 103(4): 715-724.
- MOU Memorandum of Understanding. 2006. Memorandum of Understanding between the USDA Forest Service (Humboldt Toiyabe National Forest and Lake Tahoe Basin Management Unit), Mt Rose Development Company, Heavenly Valley Limited Partnership, and Tahoe Regional Planning Agency. Provides guidance for the implementation of conservation measures for Tahoe Draba, *Draba asterophora* var. *asterophora*. Lake Tahoe, CA.
- Mearns, R., and I. Newton. 1988. Factors affecting breeding success of peregrines in south Scotland. *Journal of Animal Ecology* 57: 903–916.
- Metz, J., and M. Herold. 2004. Using IKONOS imagery to map near-shore substrates, fish habitats, and pier structures in Lake Tahoe, CA/NV. Final Report to the Tahoe Regional Planning Agency.
- Mitsch, W.J., J.G. Gosselink, C.J. Anderson, and L. Zhang. 2009. Wetland ecosystems. John Wiley & Sons, Inc., New York. 295 pp.
- Moore, M., and M. Santora. 2010. Upper Truckee River Lahontan Cutthroat Trout restoration project. US Forest Service-LTBMU, Field Season Report, CA. pp. 1-64.
- Morrison. M.L., R.J. Young, J.S. Romsos, and R. Golightly. 2011. Restoring forest raptors: influence of human disturbance and forest condition on Northern Goshawks. *Restoration Ecology* 19(2): 273-279.
- Moyle, P. 2002. Inland Fishes of California. University of California Press.
- Murphy, D., and C. Knopp. Eds. 2000. Lake Tahoe watershed assessment. Gen. Tech. Rep. PSW-GTR-175/176. Albany, CA: Pacific Southwest Research Station, Forest Service, U. S. Department of Agriculture. 407 pp.
- Nagel, T. A., and A. H. Taylor. 2005. Fire and persistence of montane chaparral in mixed conifer forest landscapes in the northern Sierra Nevada, Lake Tahoe Basin, California, USA. *The Journal of the Torrey Botanical Society*. <http://www.bioone.org/doi/abs/10.3159/1095-5674%282005%29132%5B442:FAPOMC%5D2.0.CO%3B2>

- NatureServe. 2004. A Habitat-Based Strategy for Delimiting Plant Element Occurrences: Guidance from the 2004 Working Group, October 2004. NatureServe, Arlington, VA. Retrieved August 2011 from http://www.natureserve.org/library/delimiting_plant_eos_Oct_2004.pdf
- _____. 2011. Retrieved August 11, 2011 from <http://www.natureserve.org/explorer/servlet/NatureServe?searchName=pandion+haliaetus>
- NAC Nevada Administrative Code. Chapter 445A.1915.
- NDOW Nevada Department of Wildlife. 2006. Management Plan for Mule Deer. Carson City: NV. 12 pp.
- _____. 2007. Nevada Department of Wildlife 2007. 2006 – 2007 big game status. Reno: NV. 110 pp.
- _____. 2010. Nevada Department of Wildlife 2010. 2009 – 2010 big game status. Reno: NV. 131 pp.
- NDEP Nevada Division of Environmental Protection. 2004. Executive Summary Overview, 305(b) Report. 2004 Reporting Cycle.
- _____. 2009. Nevada's 2006 303(d) Impaired Waters List Report.
- _____. 2011. Nevada Air Quality Trend Report, 1998-2009. Retrieved January 2011 from <http://ndep.nv.gov/baqp/monitoring/docs/trend.pdf>
- Ngai, K.L., S. Chandra, J. Sullivan, J. Umek, B. Chaon, P. Zander, H. Rudolph, A. Tucker, C. Williamson, J. Oris, and A. Gevertz. 2011. Niches: nearshore indicators for clarity, habitat, and ecological sustainability. Final report submitted to NV State lands, Tahoe Regional Planning Agency, US Forest Service – Pacific Southwest Region Research Station, US Bureau of Land Management, NV Dept. of Wildlife and CA Dept. of Fish and Game.
- Norman, S., T. Loupe, and J. Keely. 2008. Heavenly Creek SEZ Demonstration Project, 2007 Soil Monitoring Report. USDA Forest Service, Lake Tahoe Basin Management Unit.
- NRCS Natural Resources Conservation Service, USDA. 2000. Lake Tahoe watershed assessment, volume I. Murphy, D.D. and C.M. Knopp (editors). Gen. Tech. Rep. PSW-GTR-175. Albany, CA
- _____. 2007. Soil survey of the Tahoe Basin Area, California and Nevada. Accessible online at: http://soils.usda.gov/survey/printed_surveys
- Ode, P.R. 2007. Standard operating procedures for collecting macroinvertebrate samples and associated physical and chemical data for ambient bioassessments in California. California State Water Resources Control Board Surface Water Ambient Monitoring Program (SWAMP) Bioassessment SOP 001. http://swamp.mpsl.mlml.calstate.edu/wpcontent/uploads/2009/04/swamp_sop_bioassessment_collection_020107.pdf
- Orr, R.T., and J. Moffitt. 1971. Birds of the Lake Tahoe region. California Academy of Sciences: San Francisco, CA. 150 pp.
- Pagel, J.E., D.M. Whittington, and G.T. Allen. 2010. Interim golden eagle technical guidance: inventory and monitoring protocols; and other recommendations in support of eagle management and permit issuance. Division of Migratory Bird Management, U.S. Fish and Wildlife Service: Arlington, VA. 30 pp.
- Pathway 2007. Tahoe Regional Planning Agency, USDA Forest Service-Lake Tahoe Basin Management Unit, Lahontan Regional Water Quality Control Board, Nevada Division of Environmental

- Protection. Pathway 2007 Draft Evaluation Report, Version 1.0. September 30, 2005. Lake Tahoe, CA.
- Pavlik, B., D. Murphy, and Tahoe Yellow Cress Technical Advisory Group. 2002. Conservation Strategy for Tahoe Yellow Cress (*Rorippa subumbellata*). Tahoe Regional Planning Agency. Zephyr Cove, NV.
- Port of Seattle, Seattle-Tacoma International Airport. Undated. Effects of weather on noise. Retrieved October 13, 2011 from http://www.portseattle.org/downloads/community/environment/effects_of_weather_on_noise.pdf
- Potter, D. A. 2005. Riparian plant community classification: west slope, central and southern Sierra Nevada, California. R5-TP-022. Vallejo, CA; Pacific Southwest Region, Forest service, US Dept. of Agriculture. 634 pp.
- Quinn, C. 2005. A nature guide to the southwest Tahoe basin including Desolation Wilderness and Fallen Leaf Lake. 232 pp.
- Raumann, C. G., and M. E. Cablk. 2008. Change in the forested and developed landscape of the Lake Tahoe basin, California and Nevada, USA, 1940-2002. *Forest Ecology And Management* 255: 3424-3439.
- Reed, S. B. 1979. Bald Eagle Winter Management Plan. U.S. Forest Service, Lake Tahoe Basin Management Unit: South Lake Tahoe, CA. 24 pp.
- Reuter, J.E., J.M. Thomas, and A.C. Heyvaert. 2009. Water Quality. In: Hymanson, Z.P. and M.W. Collopy, eds. An integrated science plan for the Lake Tahoe basin: conceptual framework and research strategies. Gen. Tech. rep. PSW-GTR-226. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station: 83-182.
- Rogers, J.H. 1974. Soil survey of the Tahoe basin area, California and Nevada. USDA Soil Conservation Service, 160 pp.
- Rollins, R. C. 1983a. Studies in the Cruciferae of western North America. *Journal of the Arnold Arboretum* 64: 491-510.
- _____. 1993b. The *Cruciferae* of continental North America: the Mustard Family from the Arctic to Panama. Stanford Press. 996 pp.
- Romsos, J.S. 2000a. Bald Eagle (*Haliaeetus leucocephalus*). pp O-32 – O-37 in: Murphy, D. and C.M. Knopp., editors. 2000. LakeTahoe watershed assessment: Volume II. Appendixes. Gen. Tech. Rep. PSW-GTR-176. U.S. Forest Service, Pacific Southwest Research Station, Albany, CA. 407 pp.
- _____. 2000b. Osprey (*Pandion haliaetus*). pp O-52 – O-56 in: Murphy, D. and C.M. Knopp., editors. 2000. Lake Tahoe watershed assessment: Volume II. Appendixes. Gen. Tech. Rep. PSW-GTR-176. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture. 407 pp.

- Romsos, J.S., M.D. Schlesinger, and P.N. Manley. 2000. Historical changes in vertebrate species composition. Appendix J in: Murphy, D. and C.M. Knopp., editors. 2000. Lake Tahoe watershed assessment: Volume II. Appendixes. Gen. Tech. Rep. PSW-GTR-176. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture. 407 pp.
- Rowe, T. G., D.K. Saleh, S.A. Watkins, and C.R. Kratzer. 2002. Streamflow and water-quality data for selected watersheds in the Lake Tahoe Basin, California and Nevada, through September 1998: U.S. Geological Survey Water-Resources Investigations Report 02-4030, 118 pp., available online at <http://pubs.er.usgs.gov/usgspubs/wri/wri024030>
- Roy, A. H., A.D. Rosemond, D.S. Leigh, M.J. Paul, and J.B Wallace. 2003. Habitat-Specific Responses of Stream Insects to Land Cover Disturbance: Biological Consequences and Monitoring Implications. *Journal of the North American Benthological Society* 22(2).
- SAE Society of Automotive Engineers. 1970. Surface Vehicle Recommended Practice. SAE J1970: Shoreline Sound Level Measurement Procedure for Recreational Motorboats. Rev. 2003. SAE International.
- Sacks, J. D., L. Wichers-Stanek, T.J. Luben, D. O. Johns, B. J. Buckley, J. S. Brown, and M. Ross. 2010. Particulate matter–induced health effects: who is susceptible? *Environ Health Perspect.* 119:446-454. <http://dx.doi.org/10.1289/ehp.1002255>
- Safford, H. D., D. A. Schmidt, and C. Carlson. 2009. Effects of fuel treatments on fire severity in an area of wildland-urban interface, Angora Fire, Lake Tahoe Basin, California. *Forest Ecology and Management* 258: 773-787.
- Safford, H. D., D. Schmidt, K. Merriam, C. Carlson, J. Stevens, and M. D. Meyer. 2010. Monitoring the ecological effects of forest fuel treatments in wildfire areas (extended abstract). *Tahoe Science Newsletter* 1(4), Available at: <http://tahoescience.org>
- Sahoo, G.B., S.G. Schladow, and J.E. Reuter. 2010. Effect of sediment and nutrient loading on Lake Tahoe optical conditions and restoration opportunities using a newly developed lake clarity model. *Water Resources Research* Vol. 46, W10505, doi:10.1029/2009WR008447
- Salafsky, S.R., R.T. Reynolds, and B.R. Noon. 2005. Patterns of temporal variation in goshawk reproduction and prey resources. *Journal of Raptor Research* 39(3): 237-246.
- Schladow, G. S., F. Bombardelli, K. Reardon, P. Moreno, S. Hackley, A. Forrest, F. Rueda, A. Hoyer, M. Castro, M. Acosta, M Anguita, A. Heyvaert, R. Susfalk, B. Fitzgerald, and S. Chandra. 2011. Predicting and managing changes in near-shore water quality. Final Report Submitted to: US. Forest Service – Pacific Southwest Research Station.
- Schlesinger, M.D., and J.S. Romsos. 2000. Details of models of riparian biodiversity and community diversity. Appendix D in: Murphy, D. and C.M. Knopp., editors. 2000. Lake Tahoe watershed assessment: Volume II. Appendixes. Gen. Tech. Rep. PSW-GTR-176. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture. 407pp.
- Scholl, A. E., and A. H. Taylor. 2006. Regeneration patterns in old-growth red fir–western white pine forests in the northern Sierra Nevada, Lake Tahoe, USA. *Forest Ecology and Management*

235(3): 143-154.

- Sheppard, W. D., P.C. Rogers, D. Burton, and D. L. Bartos. 2006. Ecology, biodiversity, management, and restoration of aspen in the Sierra Nevada. Gen. Tech. Rep. RMRS-GTR-178. Fort Collins, CO: Dept. of Agriculture, Forest Service, Rocky Mountain Research Station. 122 pp.
- Sikes, K., D. Roach, J. Evans, and S. Gross. 2011. Plant community characterization and ranking of fens in the Lake Tahoe Basin, California and Nevada. California Native Plant Society, Vegetation Program, Sacramento, CA, and Lake Tahoe Basin Management Unit, USDA Forest Service, South Lake Tahoe, CA.
- Slauson, K.M., and W.J. Zielinski. 2008. Northern goshawk population monitoring in the Lake Tahoe Basin. U.S. Forest Service, Pacific Southwest Research Station, Redwood Sciences Laboratory: Arcata, CA. 60 pp.
- Smith, E., L. Allphin, and D. Nielsen. 2008. Incorporating demography, genetics, and cytology into long-term management plans for a rare, endemic alpine species: *Draba asterophora*. Department of Plant and Wildlife Sciences, Brigham Young University, Provo, UT.
- SNEP Sierra Nevada Ecosystem Project. 1996. Sierra Nevada Ecosystem Project: Final Report to Congress. Volume 3. University of California, Centers for Water and Wildland Resources, Davis, CA.
- Snider, W.M., J.L. Kershner, and G.E. Smith. 1987. Instream flow requirements of selected salmonid resources in the Lake Tahoe Basin, California and Nevada. Lake Tahoe, CA. Sacramento, CA: Resources Agency, State of California. Department of Fish and Game. Stream Evaluation Report 87-1.
- Sokulsky, P.E., and T. Beierle. 2007. Management System Design: Technical Report. Prepared by Environmental Incentives, LLC for the Tahoe Regional Planning Agency. Stateline, NV. Available at www.tims.org.
- Squires, J.R., and P.L. Kennedy. 2006. Northern goshawk ecology: an assessment of current knowledge and information needs for conservation and management. *Studies in Avian Biology* 31: 8-62.
- Stanton, A., and B. Pavlik. 2005, 2006, 2007, 2008, 2009, 2010. Implementation of the conservation strategy for tahoe yellow cress (*Rorippa subumbellata*): Annual Reports 2004-2009. Prepared for the Tahoe Yellow Cress technical advisory group and executive committee. Available at <http://heritage.nv.gov/vlibtyc.htm>
- Steenhof, K., M.N. Kochert, and T.L. McDonald. 1997. Interactive effects of prey and weather on golden eagle reproduction. *Journal of Animal Ecology* 66: 350-362.
- Stephens, S.L., T. Meixner, M. Poth, B. McGurk, and D. Payne. 2004. Prescribed fire, soils, and stream water chemistry in a watershed in the Lake Tahoe Basin, California. *International Journal of Wildland Fire* 13: 17-35
- Stohlgren, T.J. 1993. Bald eagle winter roost characteristics in Lava Beds National Monument, California. *Northwest Science* 67(1): 44 – 46.

- Swanson Hydrology and Geomorphology. 2004. Trout Creek meadow restoration, 2001-2003 Geomorphic Monitoring, December 7, 2004.
- Swift, T.J., J. Perez-Losada, S.G. Schladow, J.E. Reuter, A.D. Jassby, and C.R. Goldman. 2006. Water clarity modeling in Lake Tahoe: Linking suspended matter characteristics to Secchi depth. *Aquatic Sciences* 68: 1-15.
- Tague, C., S. Valentine, and M. Kotchen. 2008. Effect of geomorphic channel restoration on streamflow and groundwater in a snowmelt-dominated watershed: *Water Resources Research*, v. 44, doi:10.1029/2007WR006418.
- Tahoe Daily Tribune. 2011. Caltrans Finishes Highway 89 Project. Retrieved November 30, 2011 from <http://www.tahodailytribune.com/article/2011111139998>
- Taylor, A.H. 2004. Identifying forest reference conditions on early cut-over lands, Lake Tahoe Basin, USA. *Ecological Applications* 14(6): 1903-1920.
- _____. 2007. Forest changes since Euro-American settlement and ecosystem restoration in the Lake Tahoe Basin, USA. USDA Forest Service Gen. Tech. Rep. PSW-GTR-203.
- TERC Tahoe Environmental Research Center. 2011a. Tahoe: State of the Lake Report 2011. Tahoe Environmental Research Center, University of California at Davis. Available at <http://terc.ucdavis.edu/stateofthelake/StateOfTheLake2011.pdf>
- _____. 2011b. Unpublished data.
- Theil, H. 1950. A rank invariant method for linear and polynomial regression analysis. *Nederl. Akad. Wetensch. Proc. Ser. A* 53, 386-392 (Part I), 521-525 (Part II), 1397-1412 (Part III).
- Tiehm, A. 1989. Status report for *Arabis rigidissima* var. *demota*. Carson City: Nevada Natural Heritage Program.
- TIMS Tahoe Interagency Information Management System. 2011a. Weather in the Lake Tahoe Basin airshed. Retrieved October 17, 2011 from <http://eh2o.saic.com/tiimsWebsite/Content/BasinTopics/meteorology/default.html>
- _____. 2011b. Retrieved September 16, 2011 from www.dev.tiims.org
- TMPO Tahoe Metropolitan Planning Organization. 2006. Tahoe metropolitan planning organization: Lake Tahoe Regional bicycle and pedestrian master plan. <http://www.tahoempo.org/documents.aspx?SelectedIndex=6>
- _____. 2008. TRPA Transportation Monitoring Report: Mobility 2030. Retrieved April 26, 2011 from http://www.trpa.org/transportation/Mobility2030_Trans_Mon_Report_2008.pdf
- Tracy, J. C., and A Rost. 2003. Stream flow conditions of Lake Tahoe streams based on gaged flows and statistically modeled flow estimate: implications for salmonid fish population management. Desert Research Institute: Reno, NV. 37 pp.
- TRPA Tahoe Regional Planning Agency. 1980. TRPA Compact. TRPA, Stateline, NV.
- _____. 1982a. Environmental impact statement for the establishment of environmental threshold carrying capacities. p76.

- _____. 1982b. Environmental Thresholds Carrying Capacity Study Report, May 1982. 29 pp. carrying capacities. Tahoe Regional Planning Agency, Zephyr Cove, NV
- _____. 1986. Regional Plan for the Lake Tahoe Basin, Goals and Policies.
- _____. 1987a. TRPA Regional Plan, Code of Ordinances Rules of Procedure (as amended in 2012).
- _____. 1987b. Community Plans, Plan Area Statements.
- _____. 1988. Water Quality Management Plan.
- _____. 1992. Transportation control measures of the 1992 Regional Transportation Plan-Air Quality Plan.
- _____. 1996. TRPA 1996 Threshold evaluation.
- _____. 2001. TRPA 2001 Threshold Evaluation.
- _____. 2004. TRPA Noise Thresholds Update Report. Prepared by Brown-Buntin Associates, Inc. for TRPA. Fair Oaks, CA.
- _____. 2007a. Restoration in progress: environmental improvement program progress report. Retrieved November 28, 2011 from http://www.trpa.org/documents/docdwnlds/EIP/EIPBook_FINAL_1-31.pdf
- _____. 2007b. Supplemental Information on Lake Tahoe Shorezone Proposed Program. 10 pp.
- _____. 2007c. TRPA 2006 Threshold Evaluation.
- _____. 2009. Taking the environmental improvement program to the next level. 4 pp.
- _____. 2010. Restoration in Progress, Environmental Improvement Program Update. 81pp.
- _____. 2011a. Air quality visibility data set.
- _____. 2011b. Environmental improvement program highlights and accomplishments. 4 pp.
- _____. 2011c. Shorezone noise monitoring data set.
- _____. 2011d. Cumulative noise events data set.
- _____. 2012. TRPA GIS parcel database.
- _____. Water Quality Mitigation Fee collection data from TRPA Finance Department (for 2006-2010).
- USDA United States Forest Service. 1988. Forest and Land Management Plan. Lake Tahoe Basin Management Unit. South Lake Tahoe CA.
- _____. 2000. Lake Tahoe watershed assessment, volume I. Murphy, D.D. and C.M. Knopp (editors). Gen. Tech. Rep. PSW-GTR-175. Albany, CA.
- _____. 2001. Sierra Nevada forest plan amendment, final environmental impact statement, record of decision. US Dept. of Agriculture, Forest Service, Pacific Southwest Region.
- _____. 2004. Sierra Nevada forest plan amendment, final supplemental environmental impact statement, record of decision. R5-MB-046, January 2004.
- _____. 2007. Progress Report: native non-game fish community assessment. US Forest Service – Lake Tahoe Basin Management Unit.
- _____. 2008. Basin wide non-game native fish survey. US Forest Service – Lake Tahoe Basin Management Unit.
- _____. 2009a. Basin-wide non-game native fish survey: 2009 annual report. US Forest Service – Lake Tahoe Basin Management Unit.
- _____. 2009b. Measuring and monitoring of indicators and standards. Interim draft report on attainment of TRPA thresholds, Lake Tahoe Basin Management Unit internal document.
- _____. 2009c. Remote Sensing Lab. Lake Tahoe Basin Management Unit Accuracy Assessment - CALVEG Zone 3. Retrieved December 2011 from <http://www.fs.fed.us/r5/rsl/projects/mapping/accuracies/aa-tmu011409.html>
- _____. 2009d. Taylor-Tallac Ecosystem Restoration Plan. Unpublished report available at http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5160954.pdf

- _____. 2009e. Wildlife Program Annual Report, 2009. U.S. Forest Service, Lake Tahoe Management Unit: South Lake Tahoe, CA. Retrieved from http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5150414.pdf
- _____. 2010a. Basin-wide non-game native fish survey: 2010 annual report. US Forest Service – Lake Tahoe Basin Management Unit.
- _____. 2010b. National Visitor Use Monitoring Results, USDA Forest Service, National Summary Report. USDA Forest Service: Washington DC. 32p. available at: http://www.fs.fed.us/recreation/programs/nvum/nvum_national_summary_fy2009.pdf
- _____. 2011a. Annual Invasive Weed Report for the Lake Tahoe Basin Management Unit. Internal document.
- _____. 2011b. Forest Service Forest Service Activity Tracking System available at <http://www.fs.fed.us/r5/rsl/projects/frdb/layers/facts.html>
- _____. 2011c. Managing Shrub Habitats for Birds in the Sierra Nevada. Retrieved from http://www.fs.fed.us/psw/topics/ecosystem_processes/sierra/forest_health/plas/managing_shrub_habitats_for_birds_inthe_sierranevada.pdf
- _____. 2011d. Unpublished data. U.S. Forest Service, Lake Tahoe Basin Management Unit: South Lake Tahoe, CA.
- _____. 2011e. Round 2 NVUM results for the Lake Tahoe Basin Management Unit. Available at: http://apps.fs.usda.gov/nrm/nvum/results/Report.aspx/Export/S00/A05019/Round2/ALL?filename=Overall_Satisfaction&format=PortableDocFormat
- USFWS United States Fish and Wildlife Service. 1986. Recovery Plan for the Pacific Bald Eagle. U.S. Fish and Wildlife Service. Portland, OR. 160 pp.
- _____. 2003. Monitoring Plan for the American Peregrine Falcon, A Species Recovered Under the Endangered Species Act. U.S. Fish and Wildlife Service, Divisions of Endangered Species and Migratory Birds and State Programs, Pacific Region: Portland, OR. 53 pp.
- _____. 2004. 12-Month Findings on Resubmitted Petitions To List the Southern Idaho Ground Squirrel, Sand Dune Lizard, and Tahoe Yellow Cress 69 Federal Register 77167. December 27, 2004 pp. 77167-77173.
- _____. 2010. Tahoe Working Group Meeting: Lahontan Cutthroat Trout Program. USFWS. Retrieved September 26, 2011 from http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5130244.pdf
- USGS United States Geological Survey. Various dated. National field manual for the collection of water-quality data: U.S. Geological Survey Techniques of Water-Resources Investigations, book 9, chaps. A1-A9, available online at <http://pubs.water.usgs.gov/twri9A>
- _____. 2006. Collection of water samples (ver. 2.0): U.S. Geological Survey Techniques of Water-Resources Investigations, book 9, chap. A4, September 2006, accessed August 31, 2011, at <http://pubs.water.usgs.gov/twri9A4>
- Vacirca, R. 2010. Aquatic organism passage (AOP) assessment. US Forest Service–Lake Tahoe Basin Management Unit. 40 pp.
- Vander Zanden, J.M., S. Chandra, B.C. Allen, J.E. Reuter, and C.R. Goldman. 2003. Historical food web structure and restoration of native aquatic communities in the Lake Tahoe (California-Nevada) Basin. *Ecosystems* 6: 274-288.

- Van Huysen, T. 2011. Tahoe Science Update Report. USDA Forest Service–Pacific southwest Research Station.
http://www.fs.fed.us/psw/partnerships/tahoescience/documents/ScienceUpdateReport2011_09_30
- Viers, J.H., and D.E. Rheinheimer. 2011. Freshwater conservation options for a changing climate in California’s Sierra Nevada. *Marine and Freshwater Research* 62: 266-278.
- Wagstaff and Brady. 1982. Lake Tahoe Basin Scenic Resource Inventory
- Warbington, R., B. Schwind, R. Brohman, K. Brewer, and W. Clerke. Undated. Requirements of remote sensing and geographic information systems to meet the new Forest Service existing vegetation classification and mapping standards. Retrieved December 2011 from <http://www.fs.fed.us/r5/rsl/publications/rsmapping/require-veg-class-map-standards.pdf>
- Wasley, T. 2004. Nevada’s Mule Deer Population Dynamics: Issues and Influences. Nevada Department of Wildlife Biological Bulletin 14. Reno, NV. 76 pp.
- Weixelman, D., G. Bakker, and J.A. Fites. 2003. USFS Region 5 Range Monitoring Project 2003 Report. Unpublished Report. Adaptive Management Services, USDA Forest Service, Nevada City, CA.
- Weixelman, D. A., and D.J. Cooper. 2009. Assessing proper functioning condition for fen areas in the Sierra Nevada and southern Cascade Ranges in California, A User Guide. Gen. Tech. Rep. R5-TP-028. Vallejo, CA. U.S. Department of Agriculture, Forest Service, Pacific Southwest Region. 42 pp.
- Wiens, J.D., B.R. Noon, and R.T. Reynolds. 2006. Post-fledging survival of northern goshawks: the importance of prey abundance, weather, and dispersal. *Ecological Applications* 16: 406-418.
- Wildlife Action Plan Team. 2006. Nevada Wildlife Action Plan. Nevada Department of Wildlife, Reno: NV. 630 pp.
- Winder, M., and J.E. Reuter. 2009. Phytoplankton Primary Productivity Monitoring Plan. Tahoe Environmental Research center, University of California, Davis. Prepared for TRPA–Water Quality Indicator Monitoring Program.
- WCAQMD Wahoe County Air Quality Management Division. 2011. Retrieved April 26, 2011 from <http://www.co.washoe.nv.us/health/aqm/home.html>
- Zhu, D., H. Kuhns, J. Gillies, V. Etyemezian, A. Gertler, and S. Brown. 2011. Inferring deposition velocities from changes in aerosol size distributions downwind of a roadway. *Atmospheric Environment* 45: 957-966.
- Zhu, D., H.D. Kuhns, S. Brown, J.A. Gillies, V. Etyemezian, and A.W. Gertler. 2009. Fugitive dust emissions from paved road travel in the Lake Tahoe Basin. *Journal of the Air and Waste Management Association* 15: 1219-1229.
- 2nd Nature. 2006. Lake Tahoe BMP Monitoring Evaluation Process, Synthesis of Existing Research. Final Report. Prepared for USFS Lake Tahoe Basin Management Unit. Santa Cruz, CA.

_____. 2010. Quantification and characterization of Trout Creek restoration effectiveness: focused development of a stream load reduction methodology (SLRT). Retrieved from http://www.2ndnaturellc.com/wp-content/uploads/2011/09/SLRT_Trout-CreekPlan_Final-April-20101.pdf